

APR 15 2008**EDWARD J. LYNCH**

Patent Attorney
One Embarcadero Center
Suite 562
San Francisco, CA 94111

Direct Dial: 415.646.8028

Fax: 415.646.80835

E-mail: elynch@m-diplaw.com**FACSIMILE**

To:	Mail Stop Issue Fee
Company:	USPTO
Fax:	571 273 8300
From:	Ruth Der, Paralegal
Telephone:	415 646 8029
Fax:	415 646.8035
Date:	April 15, 2008
Re:	Serial No. 10/056,453 Atty. Docket No. SENOP-02001
Pages: (including coversheet)	6
Message:	Attached are <i>Response To Notice Of Drawing Inconsistency With Specification Mailed 04/03/2008 and Rule 312 Amendment.</i>

Please confirm receipt of this facsimile.

NOTE: Original will not follow.

CONFIDENTIALITY NOTICE

THIS FACSIMILE TRANSMISSION IS PRIVILEGED AND CONFIDENTIAL AND IS INTENDED ONLY FOR THE REVIEW OF THE PARTY TO WHOM IT IS ADDRESSED. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE IMMEDIATELY TELEPHONE THE SENDER ABOVE TO ARRANGE FOR ITS RETURN, AND IT SHALL NOT CONSTITUTE WAIVER OF THE ATTORNEY-CLIENT PRIVILEGE.

If there is a problem with this transmission, please call us as soon as possible at 415 646 8028.

APR 15 2008

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of
Burbank et al.

For: **BIOPSY ANCHOR DEVICE WITH
CUTTER**

Serial No.: 10/056,453

Filed: January 23, 2002

Atty. Docket No.: SENOP-02001

) Examiner: Jeffrey G. Hoekstra

) Group Art Unit: 3736

) Customer No.: 061808

TRANSMITTAL

CERTIFICATE OF TRANSMISSION PURSUANT TO 37 C.F.R. 1.8

I hereby certify that this these papers are being sent by facsimile to (571) 273-8300, and addressed to Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on April 15, 2008, in San Francisco, CA.

By: 

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

1. Transmitted herewith for filing in the above-identified patent application are the following:

X Response To Notice Of Drawing Inconsistency With Specification Mailed
04/03/2008; and

X Rule 312 Amendment.

3. Fees due

X There are no fees due with this communication. However, the Commissioner is authorized to charge the fees due, the deficiency in payment and/or to credit any overpayment which may be required under 37 CFR §1.16 and §1.17 to Deposit Account No. 50-4358, referencing Atty. Docket No. SENOP-02001.

Respectfully submitted,

By: 

Edward J. Lynch
Registration No. 24,422
Attorney for Applicants

EDWARD J. LYNCH
Patent Attorney
One Embarcadero Center
Suite 562
San Francisco, CA 94111
Telephone: (415) 646-8028
Facsimile: (415) 646-8035

APR 15 2008

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of
Burbank et al.For: **BIOPSY ANCHOR DEVICE WITH
CUTTER**

Serial No.: 10/056,453

Filed: January 23, 2002

Atty. Docket No.: SENOP-02001

Examiner: Jeffrey G. Hoekstra

Group Art Unit: 3736

Customer No.: 061808

**RESPONSE TO NOTICE OF DRAWING
INCONSISTENCY WITH
SPECIFICATION MAILED 04/03/2008**

CERTIFICATE OF TRANSMISSION PURSUANT TO 37 C.F.R. 1.8

I hereby certify that this these papers are being sent by facsimile to (571) 273-8300, and addressed to Mail Stop Issue Fee, Commissioner for
Patents, P.O. Box 1450, Alexandria, VA, 22313-1450, on April 15, 2008, in San Francisco, CA.By: Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Notice Of Drawing Inconsistency With Specification mailed April 3, 2008, Applicants concurrently file herewith Rule 312 Amendment to correct the specification of the present application to be consistent with the formal drawings filed March 11, 2008.

Respectfully submitted,

By: Edward J. Lynch
Reg. No. 24,422
Attorney for ApplicantsEDWARD J. LYNCH
Patent Attorney
One Embarcadero
Suite 562
San Francisco, CA 94111
Direct Dial: (415) 646.8028
Facsimile: (415) 646.8035